

| No. | Items of work | Unit | Rate | Quantity | Rate to be quoted |
|-----|---|---------|-----------|----------|-------------------|
| | | | Rs. a. p. | | |
| 2 | Casting in place R.C.C. stepped pillars of height varying from $1\frac{1}{2}'$ above ground to $4\frac{1}{2}'$ above ground with 4' tread and rise $1\frac{1}{2}'$ with suitable foundation for a depth of 2' with vertical reinforcements $\frac{3}{4}"$ and stirrups and reinforcements carried to foundation, etc. as per design to be given, etc., complete | C.ft. | 1 12 0 | 819 | |
| 3 | Casting R.C.C. slabs (1:2:4) for a span of about 8' between stopped with suitable reinforcements as per design to be given for treads and suitable vertical reinforcements for rises as per design to be given and arrangement of rods of approved design, etc., complete including cement plastering treads and steps and rises of steps | Sq. ft. | 1 8 0 | 1,710 | |
| 4 | Bricks in cement mortar partition wall for end pillars for providing doors $4\frac{1}{2}"$ thick | C.ft. | 0 6 0 | 13 | |
| 5 | T.W. doors 3" x 4" frames, $1\frac{1}{2}"$ thick shutters lingle with brass fittings, etc., complete | Sq. ft. | 1 10 0 | 60 | |
| 6 | B.S. slabs to serve as bed slabs for R.C. slab to rest with 6" projection | " | 0 6 0 | 95 | |
| 7 | Chunnam plastering, brick partition wall | Sqr. | 3 0 0 | 1.32 | |
| 8 | White and colour washing | " | 0 5 0 | 2.00 | |
| 9 | Providing R.C.C. stairs 6" rise 1' tread 14 rises and 13 treads as per approved design with reinforcements as per design, etc., complete with cement plastering on top and bottom faces and sides, etc., complete | Sq. ft. | 2 8 0 | 217 | |
| 10 | Providing R.C.C. pillars to serve as struts for staircase with suitable reinforcements as per approved design and foundations carried to a depth of 2' below ground level and reinforcement as per approved design 6" x 6" | C.ft. | 1 8 0 | 48 | |
| 11 | Providing hand railing of wrought iron to stairs | R.ft. | 2 0 0 | 46 | |
| 12 | Providing roofing over stairs in top of ground floor | Sqr. | 75 0 0 | 66 | |
| 13 | Lac factory green painting, three coats | " | 5 0 0 | 1.20 | |

N.B.—For all R.C.C. work Chamundi Brand Cement alone should be used.

B. R. GABUDACHAR,
Executive Engineer.

BANGALORE DIVISION.

Notification dated 21st March 1939.

1. Sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 2 P.M. on 8th April 1939 for constructing a laboratory to the Silk Farm near Channapatna.
2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Bangalore Division, should be addressed to the Executive Engineer, Bangalore Division, in a sealed cover and superscribed as "Tender for constructing a Laboratory Block to the Silk Farm near Channapatna." The name of the tenderer should also be superscribed on the top of the cover.
3. Each tender must be accompanied by a duplicate challan for having credited into the Treasury the sum of Rs. 300 being the deposit amount under "17 (a) P. W. Deposits." Promissory Notes or Mysore Government Bonds, duly endorsed at face value or market value, whichever is less as earnest money. The earnest money of the successful tenderer will be retained as security deposit for the due fulfilment of the contract. Such a deposit in cash will not carry any interest.
4. The tenders will be opened in the presence of such tenderers who wish to be present on 10th April 1939 at 3 P.M. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.
5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental Schedule Contract Form for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay Specifications (1931).

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Bangalore, on all working days, between 11 A.M. and 5 P.M. and may be obtained from that officer on payment of Rs. 3 for each.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to; and the number of corrections, if any, in each page, noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions, or additions at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of June 1939, failing which the Executive Engineer may, at his discretion, levy a penalty of Rs. 2 per day, which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will, however, be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(a) The contractor should at his own cost—

- (1) Provide rods, stakes, ropes and labour required in setting out the works.
- (2) Provide all necessary scaffolding, centering, labour and appliances for hoisting.
- (3) Provide mortar mills and sheds, to keep materials under cover and also for workmen.
- (4) Arrange for protecting work during inclement weather.
- (5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of the work.
- (6) Supply all water required for work and workmen and shall provide temporary latrines and drains.
- (7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.
- (8) Provide arrangements for pumping and baling of water from excavations and foundations wherever and whenever necessary with his own pumping apparatus including necessary leading drains, slump pits, etc.
- (9) Afford facilities to any other parties employed upon the work by the P. W. D., so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.
- (10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by Insurance at the proper time.

Note.—(b) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

Approximate quantities for constructing a Laboratory Block to Silk Farm near Channapatna.

| No. | Items of work | Unit | Rate | Quantity | Rate to be quoted |
|-------|--|-------|-----------|----------|-------------------|
| | | | Rs. a. p. | | Rs. |
| 1 | Earthwork excavation for foundation and filling in basement with watering and tamping, etc. . . | C.yd. | 0 3 0 | 74 | |
| 2 | Stone jelly concrete in lime mortar 1 : 2 : 4 . . | C.ft. | 0 3 6 | 679 | |
| 3 | Foundation burnt stone in clay with through stones at every 6' apart in each layer . . | " | 0 4 0 | 855 | |
| 4 | Basement: Burnt stone in clay with through stones at every 6' apart in each layer . . | " | 0 4 0 | 695 | |
| 5 | Basement slabs 4" thick one line dressed to the exposed surfaces including fixing, etc. . . | S.ft. | 0 4 0 | 295 | |
| 6 | Superstructure burnt brick in clay with bond stones at corners . . | " | 0 3 0 | 3,025 | |
| 7 | Burnt stone slabs 6" thick dressed and fixed . . | " | 0 4 0 | 394 | |
| 7(a) | Burnt stone slabs 6" thick 2 lines dressed and fixed in mortar for steps . . | " | 0 8 0 | 67 | |
| 8 | R. C. C. chajja in front and rear as per specification using Chamundi brand cement . . | " | 1 0 0 | 716 | |
| 9 | R. C. C. roofing as per specification in force with 3" of surki concrete and two courses of flat tiles and plastering to the required slope . . | Sqr. | 75 0 0 | 14.34 | |
| 10 | Plastering with chunam mortar . . | " | 3 0 0 | 57.81 | |
| 11 | Teakwood door 5' x (8½ + 2½) with frames 5" x 4" with semi-circular fan light ½ pannelled and ¾ glazed shutters including parliamentary hinges and all iron fittings, etc., complete . . | S.ft. | 1 12 0 | 93 | |
| 11(a) | Teakwood door 4½ x (8½ + 2½) with frames 4½" x 4" including semi-circular fan light, ½ pannelled and ¾ glazed shutters with parliamentary hinges and all iron fittings, etc. . . | " | 0 12 0 | 63 | |
| 12 | Teakwood windows 4½ x 7' with frames 4½ x 3½" with ½ pannelled and ¾ glazed including iron bars of ¾" dia. and all iron fittings, etc., complete . . | " | 2 8 0 | 441 | |
| 13 | R. C. C. perforated ventilators as per approved design, etc., including fixing using Chamundi brand cement . . | " | 0 12 0 | 126 | |
| 14 | Burnt brick parapet wall as per plan 9" high and 9" thick including plastering and cornice, etc., complete . . | R.ft. | 0 8 0 | 180 | |
| 15 | Flooring with 1½" cement concrete using Chamundi brand cement over 3" of Lime mortar concrete ½" of cement plaster mixed with red ochre and cutting into squares . . | Sqr. | 20 0 0 | 12.63 | |
| 16 | White and colour washing . . | " | 0 3 9 | 57.81 | |
| 17 | Cement pointing to basement with Chamundi brand cement . . | " | 3 0 0 | 3.60 | |
| 18 | Painting doors and windows with Government Lac factory green paint 2 coats . . | " | 3 8 0 | 5.54 | |
| 19 | Varnishing to the doors and windows inside . . | " | 8 0 | 5.54 | |
| 20 | Lat's tested steel girders including hoisting and fixing, etc. . . | Cwts. | 12 8 0 | 22.5 | |
| 21 | Bixing the girders with composite mortar including plastering, etc. . . | R.ft. | 0 4 0 | 72 | |

Notification dated 25th March 1939.

1. Sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 2 P.M. on 15th April 1939, for restoring Kempalinganahalli Tank Reg. No. 39 of Nelamangalu Taluk.

2. Tenders in the prescribed form obtainable on payment of Re. 0-4-0 per form from the Office of the Executive Engineer, Bangalore Division, should be addressed to the Executive Engineer, Bangalore Division, in a sealed cover and superscribed as "Tender for restoring Kempalinganahalli Tank of Nelamangala Taluk." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a duplicate challan for having credited into the treasury the deposit amount of Rs. 150 under '17(a) P.W. Deposits' or Mysore Government Bonds, duly endorsed at face value or market value, whichever is less, as earnest money. The earnest money of the successful tenderer will be retained as security deposit for due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 17th April 1939 at 3 P.M. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the Departmental Schedule Contract Form, after depositing an additional sum of Rs. 150 for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay specifications (1931).

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force, will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Bangalore, on all working days, between 11 A.M. and 5 P.M. and may be obtained from that officer on payment of Rs. 3 per each.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered the rates for the same will be calculated by the Executive Engineer on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions or additions, at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The work should be completed and handed over in a tidy condition to the Public Works Department by the end of October 1939, failing which the Executive Engineer may, at his discretion, levy a penalty of Re. 1 per day which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will, however, be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(a) The contractor should at his own cost—

- (1) Provide rods, stakes, ropes and labour required in setting out the works.
 - (2) Provide all necessary scaffolding, centering, labour and appliances for hoisting.
 - (3) Provide mortar mills and sheds to keep materials under cover and also for workmen.
 - (4) Arrange for protecting work during inclement weather.
 - (5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parabs, shoring, strutting and other requisite protective appliances during the progress of the work.
 - (6) Supply all water required for work and workmen and shall provide temporary latrines and drains.
 - (7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.
 - (8) Provide arrangements for pumping and baling of water from excavations and foundations, wherever and whenever necessary with his own pumping apparatus, including necessary leading drains, slump pits, etc.
 - (9) Afford facilities to any other parties employed upon the work by the P. W. D., so that their work may proceed during the progress of the contract and give such persons the use of ordinary scaffolding and ladders.
 - (10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary, provide for the same by insurance at the proper time.
- (b) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

Approximate quantities for restoring Kempalinganahalli Tank, Register No. 39 of Nagamangala Taluk.

| No. | Items of work | Unit | Rate | Quantity | Rate to be quoted in | |
|-----|---|-------|-----------|----------|----------------------|-------|
| | | | | | Figures | Words |
| | <i>Bund.</i> | | Rs. a. p. | | Rs. a. p. | Rs. |
| 1 | Clearing jungle with roots | Grade | 3 0 0 | 15 | | |
| 2 | Cutting grips and trenches on the bund for the seat of new earth | " | 2 0 0 | 15 | | |
| 3 | Earthwork to bund to raise the existing level to R. L. 55.00 including watering and tamping with necessary lead and lift | C.yd. | 0 3 6 | 8,795 | | |
| 4 | Extra rate to be given for the consolidation of the earth got from draft and approach clearing with required lead and lift | C.yd. | 0 1 0 | 265 | | |
| 5 | Removing the old revetment stones from the cross section 3 to 14 and using the same at the weir silt and sluice silt for revetment, apron and for the foundation of the body wall | C.yd. | 1 4 0 | 91 | | |
| 6 | Turfing the front and rear slopes of the bund and watering till it is satisfactory | S.yd. | 0 0 9 | 7,000 | | |
| 7 | Providing and fixing new grade stones on bed slabs including figuring and painting, etc., complete | Each | 1 8 0 | 17 | | |
| 8 | Do do Index stones do | " | 0 6 0 | 17 | | |
| 9 | Do do B. M. Stones do | " | 2 0 0 | 2 | | |
| 10 | Do do Reg. No. stone do | " | 3 0 0 | 1 | | |
| 11 | Do do Gauge stone with necessary masonry work, etc., complete | " | 10 0 0 | 1 | | |
| | <i>Sluice R. L. 45.00.</i> | | | | | |
| 1 | Earthwork cut opening the bund and using the same for the ring bund if necessary | C.yd. | 0 2 6 | 36 | | |
| 2 | Concrete in surki mortar | C.ft. | 0 4 0 | 157 | | |
| 3 | Burnt brick in surki mortar | " | 0 4 6 | 476 | | |

| No. | Items of work | Unit | Rate | Quantity | Rate to be quoted in | |
|-----|--|-------|-----------|----------|----------------------|-------|
| | | | | | Figures | Words |
| | | | Rs. a. p. | | Rs. a. p. | Rs. |
| 4 | Burnt stone slabs 6" thick roughly dressed and fixed in mortar | S.ft. | 0 6 0 | 92 | | |
| 5 | Cutting orifice in slabs | No. | 1 0 0 | 4 | | |
| 6 | Plastering with surki mortar | Sqr. | 3 12 0 | 4.00 | | |
| 7 | Refilling the cut portion with watering and tamping, etc. | C.yd. | 0 2 6 | 40 | | |
| 8 | Providing wooden plug (jalley) and iron rod with locking arrangements | L. S. | .. | 15 | | |
| 9 | Cast iron pipes 6" dia. including laying, jointing and fixing etc., complete | R.ft. | 1 8 0 | 23 | | |
| | <i>Waste weir 65' long R. L. 52.00.</i> | | | | | |
| 1 | Earthwork excavation for foundation of the body wall and returns | C.yd. | 0 3 0 | 12 | | |
| 2 | Rough stone work for foundation with old stones removed from revetment with required lead and lift | C.yd. | 0 12 0 | 15 | | |
| 3 | Stone jelly concrete above body wall and rendering with cement at top including toe wall | C.ft. | 0 4 0 | 102 | | |
| 4 | Burnt brick in surki mortar for returns, etc., complete | " | 0 4 6 | 74 | | |
| 5 | Burnt stone slabs 6" thick roughly dressed and fixed in surki mortar | S.ft. | 0 6 0 | 29 | | |
| 6 | Plastering with surki mortar for returns, etc. | Sqr. | 4 0 0 | 1.50 | | |
| 7 | Earthwork draft and approach clearing and using the same for training bank and bund, etc. | C.yd. | 0 3 0 | 265 | | |

N. LAKSHMINARASIMHAIA,
Executive Engineer.

KRISHNARAJASAGARA DIVISION.

Notification No. 2967, dated 23rd March 1939.

The following Mysore Government Savings Bank Pass Books are remaining unclaimed in this Division, for some years. The depositors or their legal heirs may apply to this office for obtaining the pass book after producing satisfactory proof of identity, on or before the 20th April 1939.

- 1 Savings Bank Pass Book No. 5525 in favour of Mr. V. A. Sarangapani Mudaliar, Sub-verseer.
Savings Bank Pass Book No. 6554 in favour of Mr. H. N. Ramaswami.

G. SESHAGIRI ROW,
Executive Engineer.

MEDICAL DEPARTMENT

OFFICE OF THE MEDICAL OFFICER, E. D. HOSPITAL, MYSORE.

Abstract Notification.

The attention of the public is invited to the detailed notification dated 22nd February 1939, published in the *Mysore Gazette*, dated 2nd March 1939, Part VI, page 414; that the unserviceable articles belonging to the E. D. Hospital, Mysore, are sold by public auction on Tuesday the 28th March 1939 between 9 A.M. and 10 A.M. in the Hospital premises. Intending bidders are requested to present themselves at the Hospital premises on the appointed date and hour.

M. HIRANYAIA,
Medical Officer.